

# Accessories for single and multi-compartment house lead-ins

## Building service sealing (building inside)

For sealing lines

Supply line	Article number	Price/€
Water (32 mm, 40 mm, 50 mm)	2990 000 010 00	€63.30
Water (63 mm)	2990 000 016 00	€102.30
Energy (26–36 mm)	2990 000 011 00	€63.30
Energy (36–47 mm)	2990 000 045 00	€102.30
Telecom (2 × 5–7 mm, 2 × 7–13 mm, 1 × 14–18 mm and 1 × 19–22 mm)	2990 000 012 00	€63.30
Fibre optic cables (2 × 5–7 mm, 2 × 7–13 mm, 1 × 12–16 mm and 1 × 23–40 mm)	2990 000 025 00	€63.90
Extension set for RMA and Schuck gas, DN 25	2998 0704 13 90	€66.90

Sealing elements for other versions available upon request



## Jacket pipe end plug (2704)

For sealing the jacket pipes and lines

Product	DN	Article number	Price/€
Set of jacket pipe end plugs for G/W/E/T (2704) for jacket pipes or casings of the MSE (with gas, to prevent ingress of sand; gas permeable)	75/90	299 0704 090 50	92.10
End plug for water/energy (26–63 mm)	75/90	299 0704 910 50	31.40
End plug for telecom (2 × 5–7 mm, 3 × 7–13 mm, 1 × 14–18 mm and 1 × 19–22 mm)	75/90	299 0704 912 50	31.40
End plug for fibre optic cables (2 × 5–7 mm, 2 × 7–13 mm, 12–16 mm, 23–40 mm)	75/90	299 0704 925 50	37.10
Ring plug for gas (1", 1 1/4", 1 1/2", 2")	75/90	299 0704 916 50	15.50
Jacket pipe end plug (75, 90, 110)	125	2990 704 125 00	270.00



## Double sleeve (2707)

For connecting and extending the cable protection pipes 2775 (not suitable for bend-resistant jacket pipes)

Product	DN	Article number	Price/€
Double sleeves including P-seal ring	75	2990 707 075 00	15.00
	100	2990 707 100 00	22.70



## Connecting sleeve (2726)

For connecting and extending the bend-resistant jacket pipes

Product	DN	Article number	Price/€
Connecting sleeve	75/90	2990 726 090 00	42.20
	125	2990 726 125 00	192.50



## Transition collar UMS-75-90/102-125

For connecting and extending jacket pipes DN 75 or DN 90 to DN 110 or DN 125

Product	DN	Article number	Price/€
Transition collar	75/90 – 110/125	299 0709 125 00	130.00



### Jacket pipes (2775)

Product	DN	Article number	Price/€	Price/€ [m]
Flexible jacket pipes, 50 metre roll	75 black	2990 775 675 00	<b>391.20</b>	<b>11.90</b>
	75 blue	2990 775 475 00	<b>391.20</b>	<b>11.90</b>
	75 yellow	2990 775 375 00	<b>391.20</b>	<b>11.90</b>
	75 red	2990 775 575 00	<b>391.20</b>	<b>11.90</b>
	110 black	2990 775 611 00	<b>521.20</b>	<b>13.90</b>
	110 blue	2990 775 411 00	<b>521.20</b>	<b>13.90</b>
	110 yellow	2990 775 311 00	<b>521.20</b>	<b>13.90</b>
	110 red	2990 775 511 00	<b>521.20</b>	<b>13.90</b>



### Bend-resistant jacket pipes (2776)

Product	DN	Article number	Price/€	Price/€ [m]
Bend-resistant jacket pipes, 25 m	90	2990 776 690 00	<b>448.80</b>	<b>31.40</b>



### Lubricant (2780)

Product	Quantity	Article number	Price/€
Lubricant (tube)	250 ml	2990 780 000 00	<b>13.90</b>
	30 ml	2990 780 000 00	<b>4.70</b>



Lubricant (2780)  
250 ml tube

### Threading tips (2711)

Product	DN	Article number	Price/€
Threading tips (for easier routing of lines)	25	2990 711 025 00	<b>12.90</b>
	32	2990 711 032 00	<b>13.90</b>
	40	2990 711 040 00	<b>27.80</b>



### Insulating washer for perimeter insulation (2725)

Product	DN	Article number	Price/€
Insulating washer for perimeter insulation (2725), Ø 180 mm	100	2990 725 100 00	<b>25.70</b>
Insulating washer for perimeter insulation (2725), Ø 320 mm	200	2990 725 200 00	<b>38.60</b>
Insulating washer for perimeter insulation (2725), Ø 440 mm	300	2990 725 300 00	<b>72.50</b>



### Curaflex® C/2/SD/6/M or C/2/SD/5/M

Outer seal with fixed/loose flange in accordance with DIN 18195/DIN 18533/DIN 18535

Product	Type	Price/€
Outer seal with fixed/loose flange for installation of the Quadro-Sicura® Nova in accordance with DIN 18195/DIN 18533/DIN 18535. Material: GGV triple corrosion protection. Other materials available upon request	Curaflex® C/2/SD/6/M, against pressing water	<b>1,307.00</b>
	Curaflex® C/2/SD/5/M, against non-pressing water	<b>954.00</b>



## Quadro-Sicura® A/2/SD/5/BP or Quadro-Sicura® A/2/SD/5/R2 to R5 for buildings without basements

Outer seal with fixed/loose flange in accordance with DIN 18533/DIN 18535

Product	Type	Article number	Price/€
Fixed/loose flange for installing the Quadro-Sicura® BP+, R2, R3, R4 and R5 in accordance with DIN 18195/DIN 18533. Against non-pressing water. Material: GGV triple corrosion protection. Other materials available upon request.	Quadro-Sicura® A/2/SD/5/BP	2990 850 560 00	Upon request
	Quadro-Sicura® A/2/SD/5/R2	2990 850 520 00	Upon request
	Quadro-Sicura® A/2/SD/5/R3	2990 850 530 00	Upon request
	Quadro-Sicura® A/2/SD/5/R4	2990 850 540 00	Upon request
	Quadro-Sicura® A/2/SD/5/R5	2990 850 550 00	Upon request

## Gas house lead-in combinations\*

Corner/penetration ball valve (RMA; type KETH-S/PE) (standard DN 25, 1")	Price/€
Inner thread	Upon request
Control screw	
Flange	
AVR valve with inner thread	
Corner/penetration ball valve (Schuck; type HSP) (standard DN 25, 1")	
Inner thread	
Control screw	
Flange	

\*Excluded from the 25-year DOYMA warranty.



Gas house lead-in from RMA, type KETH-S/PE



Gas house lead-in from Schuck, type HSP...

## Accessories for house lead-ins with injection system

Product	Article number	Price/€
2K cartridge gun PP6	2190 701 000 00	260.50



Cartridge gun PP6

## Quick-clamping device

Product	Article number	Price/€
Quick-clamping device for Quadro-Sicura® E-MIS/MIS 100	2190 610 000 00	209.00

